

IN THE CLAIMS

Please amend the claims as follows:

✓ Cancel Claims 1-12 without prejudice or disclaimer.

Claim 13 (New) An image displaying apparatus, comprising:

A2 image information displaying means for displaying a plurality of pieces of image information in an image information displaying area;

position information displaying means for displaying a plurality of pieces of position information in relation to a point on a map displayed in a position information displaying area;

position information specifying means for specifying a position information corresponding to a selected image information in said position information displaying area; and

image information specifying means for specifying an image information corresponding to a selected position information in said image information displaying area.

14. (New) An image displaying apparatus according to Claim 13, wherein:

both said image information and said position information each of which has attribute data of time, and both said position information specifying means and image information specifying means specify a corresponding relationship between said image information and position information using said attribute data of time as a parameter.

15. (New) A method for displaying image information, comprising steps of:

displaying a plurality of pieces of image information in an image information displaying area;

displaying a plurality of pieces of position information in relation to a point on a map displayed in a position information displaying area;

specifying a position information corresponding to a selected image information in said position information displaying area; and

specifying an image information corresponding to a selected position information in said image information displaying area.

16 (New) A computer program product having computer readable instructions contained therein that when executed by a processor are configured to implements steps of:

AJ displaying a plurality of pieces of image information in an image information displaying area;

displaying a plurality of pieces of position information in relation to a point on a map displayed in a position information displaying area;

specifying a position information corresponding to a selected image information in said position information displaying area; and

specifying an image information corresponding to a selected position information in said image information displaying area.

17. (New) An image displaying apparatus, comprising:

storage means for storing image data;

first recording means for recording time information in a corresponding relationship to the image data;

second recording means for recording position information in a corresponding relationship to the image data;

first display control means for controlling display of first icons representative of the image data stored in said storage means in accordance with the time information recorded by said first recording means;

second display control means for controlling display of a map image in second displaying area; and

A2  
third display control means for controlling display of second icons representative of the position information recorded by said second recording means on the map image whose display is controlled by said second display control means, wherein

said second display control means controlling, when one of the first icons whose display is controlled by said first display control means is selected, the display of the map image based on the position information of the image data corresponding to the selected first icon recorded by said second recording means in said second displaying area, and

said first display control means controlling, when one of the second icons whose display is controlled by said third display control means is selected, the display of the first icons based on the time information of the image data corresponding to the selected second icon recorded by said first recording means in said first displaying area.

18. (New) An image displaying method, comprising steps of:

storing image data in a storage means;

recording time information via a first recording means in a corresponding relationship to the image data;

recording position information via a second display control means in a corresponding relationship to the image data;

controlling via a first control means a display of first icons representative of the image data stored in said storage means in accordance with the time information recorded by said first recording means;

controlling via a second control means a display of a map image in second displaying area; and

A2 controlling via a third display control means a display of second icons representative of the position information recorded by said second recording means on the map image whose display is controlled by said second display control means, wherein

said second display control means controlling, when one of the first icons whose display is controlled by said first display control means is selected, the display of the map image based on the position information of the image data corresponding to the selected first icon recorded by said second recording means in said second displaying area, and

said first display control means controlling, when one of the second icons whose display is controlled by said third display control means is selected, the display of the first icons based on the time information of the image data corresponding to the selected second icon recorded by said first recording means in said first displaying area.

19. (New) A computer program product having computer readable instructions contained therein that when executed by a processor are configured to implements steps of:

storing image data in a storage means;

recording time information via a first recording means in a corresponding relationship to the image data;

recording position information via a second display control means in a corresponding relationship to the image data;

A2  
controlling via a first control means a display of first icons representative of the image data stored in said storage means in accordance with the time information recorded by said first recording means;

controlling via a second control means a display of a map image in second displaying area; and

controlling via a third display control means a display of second icons representative of the position information recorded by said second recording means on the map image whose display is controlled by said second display control means, wherein

said second display control means controlling, when one of the first icons whose display is controlled by said first display control means is selected, the display of the map image based on the position information of the image data corresponding to the selected first icon recorded by said second recording means in said second displaying area, and

said first display control means controlling, when one of the second icons whose display is controlled by said third display control means is selected, the display of the first icons based on the time information of the image data corresponding to the selected second icon recorded by said first recording means in said first displaying area.

---